

# Polymer Systems Technology Limited

UK & Ireland Distributor



© 2011 - Polymer Systems Technology Limited <sup>TM</sup>  
Unit 2. Network 4. Cressex Business Park,  
Lincoln Road, High Wycombe, Bucks. HP12 3RF  
Phone +44 (0) 1494 446610  
Fax: +44 (0) 1494 528611  
Web: <http://www.siliconepolymers.co.uk>  
Email: [sales@silicone-polymers.co.uk](mailto:sales@silicone-polymers.co.uk)



## MATERIAL SAFETY DATA SHEET

### MED-6382 PART B

NuSil Technology LLC urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with the product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology, and fire prevention, as necessary or appropriate to the use and understanding of the data contained in this MSDS.

To promote safe handling, each customer or recipient should: (1) notify its employees, agents, contractors, and others whom it knows or believes will use this material of the information regarding hazards or safety; (2) furnish this same information to each of its customers for the product; and (3) request its customers to notify their employees, customers and other users of the product of this information.

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

NuSil Technology LLC 1050 Cindy Lane Carpinteria, California 93013 USA (805) 684-8780	<b>EMERGENCY TELEPHONE NUMBERS:</b> (800) 424-9300 <b>CHEMTREC</b> (805) 684-8780  <b>OUTSIDE OF THE USA</b> (703) 527-3887 <b>CHEMTREC</b>
---	--

**PRODUCT NAME: MED-6382 PART B**

**CHEMICAL NAME:** Stannous Octoate

**CHEMICAL FAMILY:** Organotin

**FORMULA:** Sn(C<sub>8</sub>H<sub>15</sub>O<sub>2</sub>)<sub>2</sub>

**MOLECULAR WEIGHT:** 405.09

**SYNONYMS:** N/A

**CAS # :** 00301-10-0

#### 2. HAZARDOUS INGREDIENTS

%	<u>MATERIAL</u>	<u>CAS #</u>	<u>EXPOSURE VALUE</u>	<u>CLASSIFICATION</u>
100	Stannous Octoate	00301-10-0	See Section 8	See Section 7

#### 3. HAZARDS IDENTIFICATION

**EFFECTS OF SINGLE OVEREXPOSURE:**

**SWALLOWING:**

Causes irritation to the mouth, throat and gastro-intestinal tract, resulting in discomfort in the mouth, throat, chest and abdomen, with diarrhea, nausea, vomiting, faintness, dizziness, and weakness. With large amounts, hemorrhage may occur in the gastro-intestinal tract. Aspiration into the lungs may occur during ingestion or vomiting, resulting in lung injury.

**SKIN ABSORPTION:**

Prolonged or widespread skin contact may result in absorption of potentially harmful amounts of material.

**INHALATION:**

Vapor or mist from heated material may cause irritation of the respiratory tract, experienced as nasal discomfort and discharge with chest pain and coughing. Nausea and vomiting may occur. There may be difficulty in breathing.

**SKIN CONTACT:**

Causes mild irritation to the intact an abraded skin, seen as mild local redness and swelling.

**EYE CONTACT:**

Liquid causes irritation, experienced as stinging, excess blinking and tear production, with excess redness and swelling of the conjunctiva. Corneal injury may occur.

**EFFECTS OF REPEATED OVEREXPOSURE:**

None currently known.

**MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:**

Because of its irritating nature, this material may aggravate an existing dermatitis.

**SIGNIFICANT LABORATORY DATA WITH POSSIBLE RELEVANCE TO HUMAN HEALTH HAZARD EVALUATION:**

None currently known.

**OTHER EFFECTS OF OVEREXPOSURE:**

None currently known.

**4. FIRST AID MEASURES**

**EMERGENCY AND FIRST AID MEASURES:**

**SWALLOWING:**

No emergency care anticipated

**SKIN:**

Wash with soap and water.

**INHALATION:**

No emergency care anticipated

**EYES:**

Immediately flush eyes with water for at least 15 minutes. Obtain medical attention if discomfort persists.

**NOTES TO PHYSICIAN:**

There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. **NOTE:** Do not induce vomiting. Emesis of this material may prove difficult due to its high viscosity. Aspiration may cause lung damage.

**5. FIRE FIGHTING MEASURES**

**FLASH POINT** (test method(s)): 217° F (Cleveland Open-Cup)

**FLAMMABLE LIMITS IN AIR** (by volume):

**LOWER:** N/A      **UPPER:** N/A

**EXTINGUISHING MEDIA:** Use alcohol-type or universal-type foams applied by manufacturer's recommended techniques for large fires. Use carbon dioxide or dry chemical for small fires.

**SPECIAL FIRE FIGHTING PROCEDURES:** Do not spray a solid stream of water or foam directly into a pool of hot, burning liquid as this may cause frothing, and may intensify the fire. Use self-contained breathing apparatus when fighting fire in an enclosed area.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Irritating fumes may develop when heated.

## 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Cover spill with absorbent material. Transfer to a suitable container for disposal.

WASTE DISPOSAL METHOD: Dispose of in accordance with all Federal, State, and local regulations.

## 7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Normal precautions common to safe manufacturing practice should be followed in handling and storage.

Keep container closed, in a cool dry place	S3/S7/S8
Do not breathe vapor and avoid contact with skin	S23/S24

Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE VALUE AND SOURCE:

Stannous Octoate (as Sn): 0.1 mg/m<sup>3</sup> - 8 hours TWA (skin)(ACGIH, OSHA, NIOSH)  
0.2 mg/m<sup>3</sup> - STEL/CEIL(C) (skin)(ACGIH)

RESPIRATORY PROTECTION:

Use approved respirator or self-contained breathing apparatus as needed to maintain personnel exposure below established Occupational Exposure Values.

VENTILATION:

General (mechanical) room ventilation with local ventilation as needed to maintain exposure levels below established Occupational Exposure Values.

PROTECTIVE GLOVES: Use chemical resistant gloves.

EYE PROTECTION: Use chemical goggles.

OTHER PROTECTIVE EQUIPMENT: Eye wash and emergency shower.

## 9. PHYSICAL AND CHEMICAL PROPERTIES (based on typical material)

BOILING POINT: N/A

SPECIFIC GRAVITY (H<sub>2</sub>O = 1): 1.29

FREEZING POINT: N/A

VAPOR PRESSURE : N/A

VAPOR DENSITY (air = 1) N/A

EVAPORATION RATE (Butyl Acetate = 1): N/A

SOLUBILITY IN WATER (By wt): Insoluble

APPEARANCE: Translucent yellow

ODOR: Characteristic

PHYSICAL STATE: Liquid

PERCENT VOLATILES (by wt): See Section 15

Note: The above information is not intended for use in preparing product specifications.

## 10. STABILITY AND REACTIVITY DATA

STABILITY: Stable.

CONDITIONS TO AVOID: Avoid contact with elevated temperatures, open flame, oxygen and water.

INCOMPATIBILITY: Avoid contact with water, acids, bases, oxidizers and galvanized steel.

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS:

Burning can produce organotins and tin oxides.

HAZARDOUS POLYMERIZATION: Will not occur.

## 11. TOXICOLOGICAL INFORMATION

**COMPONENT:**

MED-6382 PART B:

Acute Oral LD <sub>50</sub> (mg/kg):	50-500 (Rat) Inferred from ingredient hazard(s)
Acute Dermal LD <sub>50</sub> (mg/kg):	200-1000 (Rbt.) Inferred from ingredient hazard(s)
Acute Inhalation LC <sub>50</sub> (mg/l):	0.5-2 (Rat) Inferred from ingredient hazard(s)
Other:	N/A.
Ames Test:	N/A.

Refer to Section 3 for further discussion of the health hazards associated with this preparation.

## 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Complete information not yet available.

CHEMICAL FATE INFORMATION: Complete information not yet available.

## 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all Federal, State, and local regulations.

## 14. TRANSPORT INFORMATION

DOT HAZARD CLASSIFICATION: Not Regulated

I.A.T.A. HAZARD CLASSIFICATION: Not Regulated

## 15. REGULATORY INFORMATION

**STATUS ON SUBSTANCE LISTS:**

The concentrations shown are maximum or ceiling levels (weight %) to be used for calculations for regulations.

Trade Secrets are indicated by "TS".

### C.H.I.P. REGULATIONS

Chemicals (Hazards Information and Packaging) Regulations 2008 requires physico-chemical and health hazard determination of all substances and preparations manufactured, transported, stored, modified, or consumed within the U.K. Components present in this product at a level which could require reporting under the statute are:

\*\*\*\* NONE \*\*\*\*

FEDERAL EPA

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQ's) in 40 CFR 302.4. Components present in this product at a level which could require reporting under the statute are: \*\*\*\*\* NONE \*\*\*\*\*

---

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQ's) and release reporting based on Reportable Quantities (RQ's) in 40 CFR 355 (used for SARA 302, 304, 311, and 312). Components present in this product at a level which could require reporting under the statute are: \*\*\*\*\* NONE \*\*\*\*\*

---

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This information must be included in all MSDS's that are copied and distributed for this material. Components present in this product at a level which could require reporting under this statute are: \*\*\*\*\* NONE \*\*\*\*\*

---

**INVENTORY STATUS**

The ingredients of this product are listed on, or are exempt from listing on, the TSCA inventory.

---

STATE-RIGHT-TO-KNOW

**CALIFORNIA Proposition 65**

This product contains no levels of listed substances, which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute.

---

**MASSACHUSETTS 105 CMR 670.000 Right-To-Know, Substance List (MSL)**

Hazardous Substances and Extraordinarily Hazardous Substances on the MSL must be identified when present in products. Components present in this product at a level which could require reporting under the statute are:

\*\*\*\*\* NONE \*\*\*\*\*

---

**PENNSYLVANIA Right-To-Know, Hazardous Substance List**

Hazardous Substances and Special Hazardous Substances on the List must be identified when present in products. Components present in this product at a level which could require reporting under the statute are:

\*\*\*\*\* NONE \*\*\*\*\*

---

**CALIFORNIA SCAQMD RULE 443.1 VOC'S:**

Volatile Organic Components (VOC's) = Substances with vapor pressure of  $\geq 0.5$  mm Hg at 104°C (219 2°F). This product contains 0.0 g / liter VOC's.

---

**OTHER REGULATORY INFORMATION:**

EPA Hazard Categories: Immediate Health Hazard  
Delayed Health Hazard

**C.H.I.P. Regulations:**

Designation: **MED-6382 PART B**  
Symbol: Xn



Indication of Danger: Harmful  
Safety Phrases: S3/S7/S8/S23/S24  
(Ref. Sect. 7) R20/R21

**16. OTHER INFORMATION**

**HMIS FORMAT:**

Health: 2

Flammability: 1

Reactivity: 0

We believe that the information contained herein is current as of the date of this Material Safety Data Sheet, and is offered in good faith. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of NuSil Technology LLC, it is the user's obligation to determine the conditions of safe use of the product.

-NuSil Technology LLC Regulatory Compliance Department

Effective Date: January 1, 2009