

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Revision date: 19/05/2021 Date of issue: 22/01/2014

Version: 4.1

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

1.1. Product Identifier

Product form	Mixture
Product Name	SFM5-2350 Part A
Synonyms	Silicone Foam

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Industrial/Professional use spec	Industrial.
Use of the Substance/Mixture	For professional use only.

1.2.2. Uses Advised Against

No additional information available

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe
1198 Avenue Maurice Donat
Le Natura Bt. 2
06250 Mougins
France
+33 4 92 96 93 31
ehs@nusil.com
www.nusil.com

1.4. Emergency Telephone Number

Emergency Number : +1 703-527-3887 CHEMTREC (International and Maritime), 800-424-9300
CHEMTREC (in US)
+(44)-870-8200418
+(353)-19014670

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

2.2. Label Elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Signal Word (CLP)	-
Hazard Statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statements (CLP)	P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other Hazards

No additional information available

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Quartz	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	10 – 30	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372
Glass, oxide, chemicals	(CAS-No.) 65997-17-3 (EC-No.) 266-046-0	< 10	Not classified
Zinc oxide (ZnO)	(CAS-No.) 1314-13-2 (EC-No.) 215-222-5 (EC Index-No.) 030-013-00-7	< 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Carbon black	(CAS-No.) 1333-86-4 (EC-No.) 215-609-9	< 1	Not classified

Full text of H-statements: see section 16

*Finely divided Quartz and Glass Oxide has caused cancer and lung disease in workers that inhale it over an extended period of time. Additionally, there have been studies performed in animals that suggest Carbon Black may cause lung cancer through inhalation. Studies suggest, however, that these hazards are not associated with other routes of exposure. Since this product is in a liquid form, none of these components are able to become airborne and cannot be inhaled. Thus, the hazards usually associated with Quartz, Glass Oxide, and Carbon Black are not applicable to this product.

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-Aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-Aid Measures After Skin Contact	Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-Aid Measures After Eye Contact	Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-Aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/Effects After Inhalation	Prolonged exposure may cause irritation.

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/Effects After Skin Contact Prolonged exposure may cause skin irritation.

Symptoms/Effects After Eye Contact May cause slight irritation to eyes.

Symptoms/Effects After Ingestion Ingestion may cause adverse effects.

Chronic Symptoms None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous Decomposition Products in Case of Fire Oxides of carbon, silicon and zinc. Nitrogen oxides.

5.3. Advice for Firefighters

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Firefighting Instructions Use water spray or fog for cooling exposed containers.

Protection During Firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other Information Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methods For Cleaning Up

Clean up spills immediately and dispose of waste safely.
Transfer spilled material to a suitable container for disposal.
Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling

Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures

Comply with applicable regulations.

Storage Conditions

Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials

Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(S)

As a flame resistant seal in applications requiring lightweight, flexible foam, with excellent thermal insulation. For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

Quartz (14808-60-7)		
Austria	MAK (OEL TWA)	0,05 mg/m ³ (alveolar dust, respirable fraction)
Austria	Chemical category	Group C Carcinogen alveolar dust
Belgium	OEL TWA	0,1 mg/m ³ (alveolar dust)
Belgium	Chemical category	Carcinogen alveolar dust
Croatia	GVI (OEL TWA) [1]	0,1 mg/m ³ 0,1 mg/m ³ (regulated under Quartz sand and Silicon dioxide-respirable dust)
Czech Republic	PEL (OEL TWA)	0,1 mg/m ³ (dust)
Denmark	OEL TWA [1]	0,3 mg/m ³ (total) 0,1 mg/m ³ (respirable)
Estonia	OEL TWA	0,1 mg/m ³ (respirable dust)
Estonia	Chemical category	Carcinogenic substance respirable dust
Finland	HTP (OEL TWA) [1]	0,05 mg/m ³ (respirable dust (Silicon dioxide, crystalline))

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

France	VME (OEL TWA)	0,1 mg/m ³ (restrictive limit-alveolar fraction)
Hungary	AK (OEL TWA)	0,1 mg/m ³ (respirable)
Ireland	OEL TWA [1]	0,1 mg/m ³ (respirable dust)
Ireland	OEL STEL	0,3 mg/m ³
Lithuania	IPRV (OEL TWA)	0,1 mg/m ³ (Silicon dioxide variation-respirable fraction)
Netherlands	MAC-TGG (OEL TWA)	0,075 mg/m ³ (respirable fraction (Silica, crystalline))
Norway	Grønseverdi (OEL TWA) [1]	0,3 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-total dust) 0,1 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-respirable dust)
Norway	Korttidsverdi (OEL STEL)	0,9 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-total dust) 0,3 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-respirable dust)
Norway	Chemical category	Carcinogen
Poland	NDS (OEL TWA)	0,1 mg/m ³ (respirable fraction)
Portugal	OEL TWA	0,025 mg/m ³ (respirable fraction)
Portugal	Chemical category	A2 - Suspected Human Carcinogen
Romania	OEL TWA	0,1 mg/m ³ (dust, respirable fraction)
Spain	VLA-ED (OEL TWA) [1]	0,05 mg/m ³ (reclassified IARC group 2A to group 1-respirable fraction)
Sweden	NGV (OEL TWA)	0,1 mg/m ³ (respirable fraction)
Sweden	Chemical category	Carcinogen
Switzerland	MAK (OEL TWA) [1]	0,15 mg/m ³ (respirable dust)
Switzerland	Chemical category	Category C1A carcinogen
Glass, oxide, chemicals (65997-17-3)		
Belgium	OEL TWA	10 mg/m ³ (dust and fiber)
Zinc oxide (ZnO) (1314-13-2)		
Austria	MAK (OEL TWA)	5 mg/m ³ (respirable fraction, smoke)
Belgium	OEL TWA	10 mg/m ³ (dust) 5 mg/m ³ (fume) 5 mg/m ³ (aerosol and vapor)
Belgium	OEL STEL	10 mg/m ³ (fume) 10 mg/m ³ (aerosol and vapor)
Bulgaria	OEL TWA	5 mg/m ³
Bulgaria	OEL STEL	10 mg/m ³

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Croatia	GVI (OEL TWA) [1]	2 mg/m ³ (respirable dust)
Croatia	KGVI (OEL STEL)	10 mg/m ³
Czech Republic	PEL (OEL TWA)	2 mg/m ³
Denmark	OEL TWA [1]	4 mg/m ³ 4 mg/m ³ (fume)
Estonia	OEL TWA	5 mg/m ³
Finland	HTP (OEL TWA) [1]	2 mg/m ³ (fume)
Finland	HTP (OEL STEL)	10 mg/m ³ (fume)
France	VME (OEL TWA)	5 mg/m ³ (fume) 10 mg/m ³ (dust)
Greece	OEL TWA	5 mg/m ³ (fume)
Greece	OEL STEL	10 mg/m ³ (fume)
Hungary	AK (OEL TWA)	5 mg/m ³ (fume) 5 mg/m ³ (powder)
Hungary	CK (OEL STEL)	20 mg/m ³ (respirable dust)
Ireland	OEL TWA [1]	2 mg/m ³ (fume; respirable fraction)
Ireland	OEL STEL	10 mg/m ³ (fume; respirable fraction)
Latvia	OEL TWA	0,5 mg/m ³
Lithuania	IPRV (OEL TWA)	5 mg/m ³
Norway	Grenseverdi (OEL TWA) [1]	5 mg/m ³
Norway	Korttidsverdi (OEL STEL)	10 mg/m ³ (value calculated)
Poland	NDS (OEL TWA)	5 mg/m ³ (inhalable fraction)
Poland	NDSch (OEL STEL)	10 mg/m ³ (inhalable fraction)
Portugal	OEL TWA	2 mg/m ³ (respirable fraction)
Portugal	OEL STEL	10 mg/m ³ (respirable fraction)
Romania	OEL TWA	5 mg/m ³ (fume)
Romania	OEL STEL	10 mg/m ³ (fume)
Slovakia	NPHV (OEL TWA) [1]	1 mg/m ³ (fume)
Slovakia	NPHV (OEL C)	1 mg/m ³
Spain	VLA-ED (OEL TWA) [1]	2 mg/m ³ (respirable fraction)
Spain	VLA-EC (OEL STEL)	10 mg/m ³
Sweden	NGV (OEL TWA)	5 mg/m ³ (total dust)
Switzerland	KZGW (OEL STEL)	3 mg/m ³ (respirable dust, smoke)
Switzerland	MAK (OEL TWA) [1]	3 mg/m ³ (respirable dust, smoke)
Carbon black (1333-86-4)		
Belgium	OEL TWA	3 mg/m ³
Croatia	GVI (OEL TWA) [1]	3,5 mg/m ³
Croatia	KGVI (OEL STEL)	7 mg/m ³
Czech Republic	PEL (OEL TWA)	2 mg/m ³ (dust)
Denmark	OEL TWA [1]	3,5 mg/m ³
Estonia	OEL TWA	3 mg/m ³ (dust (Dusts))
Finland	HTP (OEL TWA) [1]	3,5 mg/m ³
Finland	HTP (OEL STEL)	7 mg/m ³
France	VME (OEL TWA)	3,5 mg/m ³

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Greece	OEL TWA	3,5 mg/m ³
Greece	OEL STEL	7 mg/m ³
Hungary	AK (OEL TWA)	3 mg/m ³ (respirable)
Ireland	OEL TWA [1]	3 mg/m ³ (inhalable fraction)
Ireland	OEL STEL	15 mg/m ³ (calculated-inhalable fraction)
Norway	Grenseverdi (OEL TWA) [1]	3,5 mg/m ³
Norway	Korttidsverdi (OEL STEL)	7 mg/m ³ (value calculated)
Poland	NDS (OEL TWA)	4 mg/m ³ (inhalable fraction)
Portugal	OEL TWA	3 mg/m ³
Portugal	Chemical category	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
Slovakia	NPHV (OEL TWA) [1]	2 mg/m ³ (respirable fraction, 5% or less fibrogenic component) 10 mg/m ³ (respirable fraction, greater than 5% fibrogenic component) 10 mg/m ³ (total aerosol)
Spain	VLA-ED (OEL TWA) [1]	3,5 mg/m ³
Sweden	NGV (OEL TWA)	3 mg/m ³ (inhalable fraction)
United Kingdom	WEL TWA (OEL TWA) [1]	3,5 mg/m ³
United Kingdom	WEL STEL (OEL STEL)	7 mg/m ³

8.2. Exposure Controls

Appropriate Engineering Controls

Ensure adequate ventilation, especially in confined areas.
Ensure all national/local regulations are observed. Suitable eye/body wash equipment should be available in the vicinity of any potential exposure.

Personal Protective Equipment

Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing

Chemically resistant materials and fabrics.

Hand Protection

Wear protective gloves.

Eye Protection

Chemical safety goggles.

Skin and Body Protection

Wear suitable protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State

Liquid

Appearance

Black.

Colour

No data available

Odour

Odorless.

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour Threshold	No data available
pH	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (Solid, Gas)	Not applicable
Vapour Pressure	No data available
Relative Vapour Density At 20 °C	No data available
Relative Density	1 (Water = 1)
Density	No data available
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available

9.2. Other Information

VOC content < 1 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Carbon oxides (CO, CO₂). Silicon oxides. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors. Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer. Formaldehyde can also cause respiratory and eye irritation.

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity Not classified (Based on available data, the classification criteria are not met)

Quartz (14808-60-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Zinc oxide (ZnO) (1314-13-2)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
Carbon black (1333-86-4)	
LD50 Oral Rat	> 8000 mg/kg
LC50 Inhalation Rat	> 4,6 mg/m ³ (Exposure time: 4 h)
Skin Corrosion/Irritation	Not classified (Based on available data, the classification criteria are not met)
Eye Damage/Irritation	Not classified (Based on available data, the classification criteria are not met)
Respiratory or Skin Sensitization	Not classified (Based on available data, the classification criteria are not met)
Germ Cell Mutagenicity	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	Not classified. (Finely divided Quartz and Glass Oxide has caused cancer and lung disease in workers that inhale it over an extended period of time. Additionally, there have been studies performed in animals that suggest Carbon Black may cause lung cancer through inhalation. Studies suggest, however, that these hazards are not associated with other routes of exposure. Since this product is in a liquid form, none of these components are able to become airborne and cannot be inhaled. Thus, the hazards usually associated with Quartz, Glass Oxide, and Carbon Black are not applicable to this product.)
Reproductive Toxicity	Not classified (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Single Exposure)	Not classified. (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Repeated Exposure)	Not classified. (Based on available data, the classification criteria are not met)
Aspiration Hazard	Not classified (Based on available data, the classification criteria are not met)
Potential Adverse Human Health Effects And Symptoms	Based on available data, the classification criteria are not met.

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Harmful to aquatic life with long lasting effects.

Zinc oxide (ZnO) (1314-13-2)	
LC50 Fish 1	970 µg/l (780 ug Zn/L; Exposure time: 96 h - Species: Pimephales promelas)
LC50 Fish 2	1,793 mg/l (Exposure time: 96 h - Species: Zebrafish)
NOEC Chronic Fish	0,026 mg/l (Species: Jordanella floridae)
Carbon black (1333-86-4)	
EC50 - Crustacea [1]	5600 mg/l (Exposure time: 24 h - Species: Daphnia magna)

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and Degradability

SFM5-2350 Part A

Persistence and Degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative Potential

SFM5-2350 Part A

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Product/Packaging Disposal Recommendations	Dispose of contents/container in accordance with local, regional, national, and international regulations.
Additional Information	Container may remain hazardous when empty. Continue to observe all precautions.
Ecology - Waste Materials	Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN Number

Not regulated for transport

14.2. UN Proper Shipping Name

Not regulated for transport

14.3. Transport Hazard Class(Es)

Not regulated for transport

14.4. Packing Group

Not regulated for transport

14.5. Environmental Hazards

Not regulated for transport

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the Substance/mixture and of the Company/Undertaking	Modified	19/05/2021
2	Hazards Identification	Modified	19/05/2021
4	First aid measures	Modified	19/05/2021
5	Firefighting measures	Modified	19/05/2021
6	Accidental release measures	Modified	19/05/2021
7	Handling and storage	Modified	19/05/2021
8	Exposure controls/personal protection	Modified	19/05/2021
9	Physical and chemical properties	Modified	19/05/2021
11	Toxicological information	Modified	19/05/2021
12.	Ecological information	Modified	19/05/2021
14	Transport information	Modified	19/05/2021
15	Regulatory information	Modified	19/05/2021

Date of Preparation or Latest Revision 19/05/2021

Revision

Data Sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 1A	Carcinogenicity, Category 1A
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1

SFM5-2350 Part A

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H335	May cause respiratory irritation.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists
ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road
ATE - Acute Toxicity Estimate
BCF - Bioconcentration Factor
BEI - Biological Exposure Indices (BEI)
BOD – Biochemical Oxygen Demand
CAS No. - Chemical Abstracts Service Number
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008
COD – Chemical Oxygen Demand
EC – European Community
EC50 - Median Effective Concentration
EEC – European Economic Community
EINECS – European Inventory of Existing Commercial Chemical Substances
EmS-No. (Fire) - IMDG Emergency Schedule Fire
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage
EU – European Union
ErC50 - EC50 in Terms of Reduction Growth Rate
GHS – Globally Harmonized System of Classification and Labeling of Chemicals
IARC - International Agency for Research on Cancer
IATA - International Air Transport Association
IBC Code - International Bulk Chemical Code
IMDG - International Maritime Dangerous Goods
IPRV - Ilgalaikio Poveikio Ribinis Dydis
IOELV – Indicative Occupational Exposure Limit Value
LC50 - Median Lethal Concentration
LD50 - Median Lethal Dose
LOAEL - Lowest Observed Adverse Effect Level
LOEC - Lowest-Observed-Effect Concentration
Log Koc - Soil Organic Carbon-water Partitioning Coefficient
Log Kow - Octanol/water Partitioning Coefficient
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water
MAK – Maximum Workplace Concentration/Maximum Permissible Concentration
MARPOL - International Convention for the Prevention of Pollution

NDS - Najwyższe Dopuszczalne Stezenie
NDSch - Najwyższe Dopuszczalne Stezenie Chwilowe
NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe
NOAEL - No-Observed Adverse Effect Level
NOEC - No-Observed Effect Concentration
NRD - Nevirsytinas Ribinis Dydis
NTP – National Toxicology Program
OEL - Occupational Exposure Limits
PBT - Persistent, Bioaccumulative and Toxic
PEL - Permissible Exposure Limit
pH – Potential Hydrogen
REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail
SADT - Self Accelerating Decomposition Temperature
SDS - Safety Data Sheet
STEL - Short Term Exposure Limit
STOT - Specific Target Organ Toxicity
TA-Luft - Technische Anleitung zur Reinhaltung der Luft
TEL TRK – Technical Guidance Concentrations
ThOD – Theoretical Oxygen Demand
TLM - Median Tolerance Limit
TLV - Threshold Limit Value
TPRD - Trumpalaikio Poveikio Ribinis Dydis
TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern
TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte
TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte
TSCA - Toxic Substances Control Act
TWA - Time Weighted Average
VOC – Volatile Organic Compounds
VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
VLA-ED - Valor Límite Ambiental Exposición Diaria
VLE – Valeur Limite D'exposition
VME – Valeur Limite De Moyenne Exposition
vPvB - Very Persistent and Very Bioaccumulative
WEL – Workplace Exposure Limit
WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Revision date: 19/05/2021 Date of issue: 22/01/2014

Version: 4.1

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

1.1. Product Identifier

Product form	Mixture
Product Name	SFM5-2350 Part B
Synonyms	Silicone Foam

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Industrial/Professional use spec	Industrial.
Use of the Substance/Mixture	For professional use only

1.2.2. Uses Advised Against

No additional information available

1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe
1198 Avenue Maurice Donat
Le Natura Bt. 2
06250 Mougins
France
+33 4 92 96 93 31
ehs@nusil.com
www.nusil.com

1.4. Emergency Telephone Number

Emergency Number : +1 703-527-3887 CHEMTREC (International and Maritime), 800-424-9300
CHEMTREC (in US)
+(44)-870-8200418
+(353)-19014670

SECTION 2: Hazards Identification

2.1. Classification of the Substance or Mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements EUH210 - Safety data sheet available on request.

2.3. Other Hazards

No additional information available

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Quartz	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	10 - 30	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372
Siloxanes and Silicones, dimethyl, methyl hydrogen	(CAS-No.) 68037-59-2	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Glass, oxide, chemicals	(CAS-No.) 65997-17-3 (EC-No.) 266-046-0	< 10	Not classified

Full text of H-statements: see section 16

*Finely divided Quartz and Glass Oxide has caused cancer and lung disease in workers that inhale it over an extended period of time. Studies suggest, however, that these hazards are not associated with other routes of exposure. Since this product is in a liquid form, none of these components are able to become airborne and cannot be inhaled. Thus, the hazards usually associated with Quartz and Glass Oxide are not applicable to this product.

SECTION 4: First Aid Measures

4.1. Description of First-aid Measures

First-Aid Measures General

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-Aid Measures After Inhalation

When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-Aid Measures After Skin Contact

Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

First-Aid Measures After Eye Contact

Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-Aid Measures After Ingestion

Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects

Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/Effects After Inhalation

Prolonged exposure may cause irritation.

Symptoms/Effects After Skin Contact

Prolonged exposure may cause skin irritation.

Symptoms/Effects After Eye Contact

May cause slight irritation to eyes.

Symptoms/Effects After Ingestion

Ingestion may cause adverse effects.

Chronic Symptoms

None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Suitable Extinguishing Media	Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
Unsuitable Extinguishing Media	Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard	Not considered flammable but may burn at high temperatures.
Explosion Hazard	Product is not explosive.
Reactivity	Hazardous reactions will not occur under normal conditions.
Hazardous Decomposition Products in Case of Fire	Carbon oxides (CO, CO ₂). Silicon oxides. Explosive hydrogen gas. Formaldehyde.

5.3. Advice for Firefighters

Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers.
Protection During Firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures	Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).
------------------	---

6.1.1. For Non-Emergency Personnel

Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods For Cleaning Up	Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures	Comply with applicable regulations.
Storage Conditions	Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
Incompatible Materials	Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(S)

For professional use only

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

Quartz (14808-60-7)		
Austria	MAK (OEL TWA)	0,05 mg/m ³ (alveolar dust, respirable fraction)
Austria	Chemical category	Group C Carcinogen alveolar dust
Belgium	OEL TWA	0,1 mg/m ³ (alveolar dust)
Belgium	Chemical category	Carcinogen alveolar dust
Croatia	GVI (OEL TWA) [1]	0,1 mg/m ³ 0,1 mg/m ³ (regulated under Quartz sand and Silicon dioxide-respirable dust)
Czech Republic	PEL (OEL TWA)	0,1 mg/m ³ (dust)
Denmark	OEL TWA [1]	0,3 mg/m ³ (total) 0,1 mg/m ³ (respirable)
Estonia	OEL TWA	0,1 mg/m ³ (respirable dust)
Estonia	Chemical category	Carcinogenic substance respirable dust
Finland	HTP (OEL TWA) [1]	0,05 mg/m ³ (respirable dust (Silicon dioxide, crystalline))
France	VME (OEL TWA)	0,1 mg/m ³ (restrictive limit-alveolar fraction)
Hungary	AK (OEL TWA)	0,1 mg/m ³ (respirable)
Ireland	OEL TWA [1]	0,1 mg/m ³ (respirable dust)
Ireland	OEL STEL	0,3 mg/m ³
Lithuania	IPRV (OEL TWA)	0,1 mg/m ³ (Silicon dioxide variation-respirable fraction)
Netherlands	MAC-TGG (OEL TWA)	0,075 mg/m ³ (respirable fraction (Silica, crystalline))

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Norway	Grenseverdi (OEL TWA) [1]	0,3 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-total dust) 0,1 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-respirable dust)
Norway	Korttidsverdi (OEL STEL)	0,9 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-total dust) 0,3 mg/m ³ (dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula-respirable dust)
Norway	Chemical category	Carcinogen
Poland	NDS (OEL TWA)	0,1 mg/m ³ (respirable fraction)
Portugal	OEL TWA	0,025 mg/m ³ (respirable fraction)
Portugal	Chemical category	A2 - Suspected Human Carcinogen
Romania	OEL TWA	0,1 mg/m ³ (dust, respirable fraction)
Spain	VLA-ED (OEL TWA) [1]	0,05 mg/m ³ (reclassified IARC group 2A to group 1-respirable fraction)
Sweden	NGV (OEL TWA)	0,1 mg/m ³ (respirable fraction)
Sweden	Chemical category	Carcinogen
Switzerland	MAK (OEL TWA) [1]	0,15 mg/m ³ (respirable dust)
Switzerland	Chemical category	Category C1A carcinogen
Glass, oxide, chemicals (65997-17-3)		
Belgium	OEL TWA	10 mg/m ³ (dust and fiber)

8.2. Exposure Controls

Appropriate Engineering Controls

Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing

Chemically resistant materials and fabrics.

Hand Protection

Wear protective gloves.

Eye Protection

Chemical safety goggles.

Skin and Body Protection

Wear suitable protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

When using, do not eat, drink or smoke.

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State	Liquid
Colour	Tan
Odour	Odorless
Odour Threshold	No data available
pH	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (275 °F)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (Solid, Gas)	Not applicable
Vapour Pressure	No data available
Relative Vapour Density At 20 °C	No data available
Specific Gravity	> 1
Relative Density	No data available
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	Not applicable

9.2. Other Information

VOC content < 1 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Silicon oxides. Explosive hydrogen gas. Will decompose above 150 °C (>300° F) releasing formaldehyde vapors.

Formaldehyde is a potential carcinogen and can act as a potential skin and respiratory sensitizer.

Formaldehyde can also cause respiratory and eye irritation.

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity Not classified (Based on available data, the classification criteria are not met)

Quartz (14808-60-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg
Skin Corrosion/Irritation	Not classified (Based on available data, the classification criteria are not met)
Eye Damage/Irritation	Not classified (Based on available data, the classification criteria are not met)
Respiratory or Skin Sensitization	Not classified (Based on available data, the classification criteria are not met)
Germ Cell Mutagenicity	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	Not classified. (Finely divided Quartz and Glass Oxide has caused cancer and lung disease in workers that inhale it over an extended period of time. Studies suggest, however, that these hazards are not associated with other routes of exposure. Since this product is in a liquid form, none of these components are able to become airborne and cannot be inhaled. Thus, the hazards usually associated with Quartz and Glass Oxide are not applicable to this product.)
Reproductive Toxicity	Not classified (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Single Exposure)	Not classified. (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Repeated Exposure)	Not classified. (Based on available data, the classification criteria are not met)
Aspiration Hazard	Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Not classified.

12.2. Persistence and Degradability

SFM5-2350 Part B	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

SFM5-2350 Part B	
Bioaccumulative potential	Not established.

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local, regional, national, and international regulations.
Recommendations
Ecology - Waste Materials Avoid release to the environment.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN Number
Not regulated for transport
14.2. UN Proper Shipping Name
Not regulated for transport
14.3. Transport Hazard Class(Es)
Not regulated for transport
14.4. Packing Group
Not regulated for transport
14.5. Environmental Hazards
Not regulated for transport

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the Substance/mixture and of the Company/Undertaking	Modified	19/05/2021
2.2	EUH-statements	Added	19/05/2021
4	First aid measures	Modified	19/05/2021
5	Firefighting measures	Modified	19/05/2021
7	Handling and storage	Modified	19/05/2021
8	Occupational Exposure Limits	Modified	19/05/2021
9	Physical and chemical properties	Modified	19/05/2021
10.6	Hazardous decomposition products	Modified	19/05/2021
11	First-aid measures general	Modified	19/05/2021

Date of Preparation or Latest Revision 19/05/2021

Revision

Data Sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
EUH210	Safety data sheet available on request.

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists
ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR – European Agreement Concerning the International Carriage of Dangerous Goods by Road
ATE – Acute Toxicity Estimate
BCF – Bioconcentration Factor
BEI – Biological Exposure Indices (BEI)
BOD – Biochemical Oxygen Demand
CAS No. – Chemical Abstracts Service Number
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008
COD – Chemical Oxygen Demand
EC – European Community
EC50 – Median Effective Concentration
EEC – European Economic Community
EINECS – European Inventory of Existing Commercial Chemical Substances
EmS-No. (Fire) – IMDG Emergency Schedule Fire

NDS – Najwyższe Dopuszczalne Steżenie
NDSCh – Najwyższe Dopuszczalne Steżenie Chwilowe
NDSP – Najwyższe Dopuszczalne Steżenie Pułapowe
NOAEL – No-Observed Adverse Effect Level
NOEC – No-Observed Effect Concentration
NRD – Nevirsytinas Ribinis Dydis
NTP – National Toxicology Program
OEL – Occupational Exposure Limits
PBT – Persistent, Bioaccumulative and Toxic
PEL – Permissible Exposure Limit
pH – Potential Hydrogen
REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail
SADT – Self Accelerating Decomposition Temperature
SDS – Safety Data Sheet
STEL – Short Term Exposure Limit
STOT – Specific Target Organ Toxicity

SFM5-2350 Part B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU - European Union	TEL TRK - Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD - Theoretical Oxygen Demand
GHS - Globally Harmonized System of Classification and Labeling of Chemicals	TLM - Median Tolerance Limit
IARC - International Agency for Research on Cancer	TLV - Threshold Limit Value
IATA - International Air Transport Association	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IBC Code - International Bulk Chemical Code	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 - Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 - Arbeitsplatzgrenzwerte
IOELV - Indicative Occupational Exposure Limit Value	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte
LC50 - Median Lethal Concentration	TSCA - Toxic Substances Control Act
LD50 - Median Lethal Dose	TWA - Time Weighted Average
LOAEL - Lowest Observed Adverse Effect Level	VOC - Volatile Organic Compounds
LOEC - Lowest-Observed-Effect Concentration	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VLA-ED - Valor Límite Ambiental Exposición Diaria
Log Kow - Octanol/water Partition Coefficient	VLE - Valeur Limite D'exposition
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water	VME - Valeur Limite De Moyenne Exposition
MAK - Maximum Workplace Concentration/Maximum Permissible Concentration	vPvB - Very Persistent and Very Bioaccumulative
MARPOL - International Convention for the Prevention of Pollution	WEL - Workplace Exposure Limit
	WGK - Wassergefährdungsklasse

Nusil EU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.



Polymer Systems
Technology Limited

Silicone Sales & Services UK - Ireland - Benelux

© 2022 - Polymer Systems Technology Limited™
Unit 2. Network 4. Cressex Business Park,
Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: <https://www.silicone-polymers.com>

email: sales@silicone-polymers.co.uk

